







BAREZ PLASTIC TERHAN

www.barezplastic.com

Trafc Signal - Trafc Equipment
Urban Furniture & Recycling
Horticulture Equipment
Urban & Home Flower Planter



Traffic Signal



LED Traffic Signal


Code: B511-B512-B514-B515-B516-B517

Barez Plastics Company introduces you the world's top traffic lights in the world based on the principles of ECO design that is a new chapter in the technology and design of 21st Century traffic lights. Unique beauty, cost effective due to its high durability, low energy consumption and no need of maintenance during long term has differed this light from other similar low consumption ones. It changes urban landscape across the planet, while providing a new level of quality and respect for the environment. A combination of aluminum, polycarbonate and special focusing lenses ensures LED technology with the highest energy efficiency, enhanced power and durability. A modern and eye-catching appearance with different base, promote the urban landscapes and makes this design without competitor for well-known and historic urban areas.

Recorded and approved as the top design with the least energy consumption and the highest effective range of radiation. With 10 years guarantee for body and frame.

(useful life of illuminating system is 100,000 hours)





Code	Diameter	Houses	D (mm)	W (mm)	H(mm)
B517	210	1	135	300	330
B515	210	2	135	300	570
B511	210		135	300	810
B516	300	1	180	390	434
B514	300		180	390	790
B512	300	3	180	390	1064

LED Traffic Signal

Code: B511-B512-B514-B515-B516-B517



The traffic signal lights with LED lens of Barez with aluminum body with proper operation have capability of single house and triple house installation on different metal and aluminum bases. It has a 10 year guarantee for body and frame with an illuminating lifetime of 72 months (100,000 hours)

It has a beautiful, compact and slim design that enables the installation of multiple lanterns in the direction of the path.











The ability to install the lantern horizontally and vertically, directional, simple as well as multi-purpose arm bases, make it possible to install easily vertically and horizontally at the same time on one base.

Possibility to install malty support and direction lights at different angles on one base

Mini LED Traffic Signal



Code: B518

Mini LED Traffic Signal angular repeater lights embedded inside the base at an equal elevation with driver's sight, has increased the reaction speed, which improves visibility and performance, lowering the error coefficient for the leading drivers, and ultimately facilitating the pedestrians and reducing traffic load.

Pedestrian Signal

Code: B519

Ability to install multiple lights on Aluminum base at suitable angles in the form of stationary and moving.



Traffic Signal Modules


Code: B513

It has the highest European standards including CE 12368 Class A, B, C with aluminum body and polycarbonate body. It has a light focus lens for distances of up to 400 meters, suitable for inner and outer city roads with different light wavelengths, suitable for different speeds. Has the highest energy efficiency. Considering the light emitted, it has the least energy consumption compared with the similar ones. Performance guarantee for 100,000 hours or 5 years of operation. It has anti dust and water and storm standard number IP65 (acc.to 60529). It contains 2- 4 high power LED. In case if one of the LED diodes is damaged, other diodes of higher illumination are replaced and light would not reduce. LED diodes are made by one of the most trusted companies like Lumiled or Osram.

It has a Vulnerable standard High (Class IR3 acc.to EN 60898). Radiation and color of light of the signal lights do not cause any disturbance to the eyes of drivers.

It has the highest international standard number EN 12368 for phantom phenomenon.

Illuminated beams from Barez signal lights (SWARCO) do not create any difficulty in seeing the car plates by traffic control cameras at night. Explaining that the other major lantern lights due to improper lighting and reflection, cause the lack of precision of the car plates to record night-time violations, and virtually without a powerful flash the control cameras cannot register and record, while the tolerance of minimum and maximum oscillation of the light generated by Barez Lights is without any light defects and is at the minimum level of tolerance. Therefore, this problem has been well removed.





Traffic Equipment



Guide Post

Code: B310-B341

Product advantages:

According to the use of polyurethane materials made by Germany, it is the only standard production and approved by the urban traffic authorities and road departments. Polyurethane material retain their flexibility in the long term (at least 5 years) against the effects of sunlight and UV.

The use of PVC, PE, and ... will cause drying in the cold winter and cold seasons, and has serious danger for the collider and practically application of the product will be lost by the change of materials.

Flexible reflector made in Germany or Korea with high durability, with Anti-UV, anti-oxidant and anti-static supplements, with a vulnerable capacity of 10,000 times.



Guide Post

Code: B311

The design of the cylinder in the form of an accordion makes it resistant to bending, and during the crash with the part, the vertical lines stretch and quickly return to its original place.

Considering the use of European polyurethane materials and strong supplements, it has the highest quality in cold and tropical regions.

It has an anti-oxidant and anti-UV as well as European master batch and guarantee the flexibility of the guide post in cold and tropical regions.

Using of other materials may cause a rapid change in color or fracture in different


It has a flexible reflector made in Korea or Germany. capacity of impact bearing up to 25,000 times.

B 3	1	1

Code	Material	A (mm)	B (mm)	C (mm)
B310	PU	450	250	165
B341	PU	750	250	165
B311	PU	750	250	165










Traffic Cone

Code: B315-B342

Product advantages: Made from the finest PVC materials Have anti UV It has different fluorescent colors With 3 years warrantee



Code	Material	A (mm)	B (mm)	C (mm)
B342	PVC	720	360	300
B315	PVC	600	340	200

B342

Caution Sign

Code: B332-B343-B343-B332

Product advantages:

Made from the finest materials of PVC, PP and PE


Have anti UV

Different colors

With 3 years guarantee

Has a suitable space for advertising

With silk printing and vinyl PVC sticker



C	Code	Material	A (mm)	B (mm)	C (mm)	D (mm)
	B344	PP-PE	1150	370	900	240
	B332	PP-PE	915	310	670	240
	B345	PP-PE	1230	370	900	320
	B343	PP-PF	990	310	670	320







Directional Bollard

Code: B313-B346-B347



B347

Applicable to:

Exit of streets and highways Direction View of the Way Product advantages:

It has the best reflection of 10 year grade engineering Prismatic Diamond grade of 3M and AVERY Unique design

A suitable replacement for the shock absorbing barrels Supplied with fixed base and Flexible spring (elastic)









Traffic Barrel

Code: B332-B343-B343-B332

Product advantages:

7 year Engineered reflectors according to ASTM standard

Bumpers (anti-shock), Can be installed at risky areas.

	Code	Material	A (mm)	B (mm)	C (mm)
ı	B314	PE	1050	600	450
_	B348	PF	1050	600	_







Road Separator

Code: B316

Product advantages:

Has an appropriate reinforcement set at the base Provides a warning signal mark at the beginning and the end of the separator

		L	W	Н
Product Name	Material	(mm)	(mm)	(mm)
Middle Part	PE	1000	265	100
Head Part	PE	340	265	100
End Part	PE	430	265	100



Flat top Guide Post

Code: B312

Product advantages:

10 year 3M or AVERY Prismatic Diamond grad reflective sheeting Can be installed and collected in less than 1 minute

It has level spring for bending in different directions Resistant to impact and weather conditions without changing state Minimum useful life of 7 years












Plastic Road Stud

Code: B319-B350





Plastic Road Stud

B350

Code: B337

Austrian SWARFLEX glass bead panel in different designs Suitable for entry and margin routes Can be installed only by a screw








Solar Road Stud

Code: B352



Product advantages: Includes two battery power supplies or capacitor Guaranteed 1 and 7 years.





Code	Material	A (mm)	В <i>(mm)</i>	(mm)	
B350	ASA	100	100	18	ı
B319	ASA	100	100	19	
B352	Aluminium	132	122	20	ı
B337	ABS	150	150	40	





Metal Road Stud

Code: B318-B353

Applicable to:

All the roads

Inner and outer city highways

Reliable alternative to directions of the roads in southern regions and the separation of the exit routes of the country, which do not have a endurance line.

Product advantages:

The Austrian SWARFLEX glass bead panel in various designs With 5 years guarantee

Light reflectance (mcd / IX) 111

Visibility up to 250 meters

		L	W	Н
Code	Material	(mm)	(mm)	(mm)
B353	Aluminium	150	150	25
B318	Aluminium	100	100	20





Tunnel Reflector

Code: B321

Uses:

Margins of Bridges, roads

New Jersey, Tunnels

In three models: stand, one-way, two-way

In three colors: white, yellow, red

With 5 years warranty

Power of reflection is 2 times higher than

engineering sheeting

		L	W	Н
Code	Material	(mm)	(mm)	(mm)
B321	PC	50	180	40



B321







Metal Road Stud

Code: B317-B330-B331-B333-B354

Applicable to:

Speed Reducers

Separation points of the route

Product advantages:

Has various designs to enhance traffic and urban landscape

Has Austrian SWAREFLEX glass bead

















B333



B354

B330


Road Stud

Code: B340

Applicable to:

Speed Reducers Separation points of the route Material H (mm) L (mm) W (mm) Code





Tunnel Reflector

Code: B334-B320



Usage cases: Passageways margin, street and road guard-rails Five years guarantee

Prepared by Anti-shock lens grade and anti-scratch materials with anti-UV and anti-static.

Anti-absorbing dust and visibility up to 200 meters with a reflection power of at least twice of engineering reflecting

Three colors: white, yellow, red

In two models: single-sided and double-sided stand

Polyurethane base with flexibility to prevent damage during accident or time of guard-rail washing.







Code	Material	H (mm)	L (mm)	W (mm)
B320	PC	75	120	60
B334	TPU-PC	105	130	55
				H



Street Speed Bump

Code: B323

Suitable for both urban & suburban routes

Loaded test capacity up to 50 tons per wheel. The new design, while making beautiful urban landscape, reduces the abrasion and tear, ultimately has a long life at least twice as high as the previous ones.

The use of SWAREFLEX glass element with the cube corner prism makes it visible from a distance of 200 meters.

Reduces speed down to 40 km / h

Including volar, Screw, Washers and Rawlplug.

		L	W	Н
Code	Material	(mm)	(mm)	(mm)
B323	PP-PE	900	330	50



Street Speed Bump

Code: B322


Considering its dimension and design, this size of Speed Bump is more suited to the inland routes with a maximum speed of 50 km.

Loaded test capacity up to 50 tons per wheel, with anti-UV and anti-shock reinforced polymers, resistant to atmospheric conditions and UV radiation, including cube corner reflection

Available Accessories:

Volar, Screw, Washers and Rawlplug, Effective speed reduction down to 40 km / h

		L	W	Н
Code	Material	(mm)	(mm)	(mm)
B322	PP-PE	900	330	50



Road Speed Bump

Code: B324

The design of this size is based on the International Conventions on the Transit Road Transportation, which prohibits the creation of a restrictor on road surfaces with a height of more than 1 inch, and proposed for routes inside and outside the city.

The maximum loaded capacity up to 45 tons per wheel. Anti-UV and anti-shock compaction polymers resistant to atmospheric conditions and UV rays of the sun. Including reflection by Cube Corner. Effective reduction of speed down to 40km / h

		L	W	Н
Code	Material	(mm)	(mm)	(mm)
B324	PP-PE	350	500	25

B324





Rubber Speed Bump

Code: B325

Usable in tropical high traffic areas Load capacity of 50 tons per wheel Austrian SWAREFLEX Reflective glass element Effective reduction of speed down to 10 km/h



D	2	7	
D	S	Z)

		L	W	Н
Code	Material	(mm)	(mm)	(mm)
B325	SBR	350	500	50




Rubber Speed Bump

Code: B338

Usable in tropical high traffic areas Load capacity of 50 tons per wheel Reflective surfaces of glass bead with a super reflection Effective reduction of the speed down to 20 km / h Made of rubber and reinforced with fibers with a 10 year durability

		Α	В	C
Code	Material	(mm)	(mm)	(mm)
B338	SBR	600	500	40
B330	SRP	000	EOO	50





New jersey Barrier

Code: B327-B336

Product advantages:

Easy to carry and install

Having the entrance and water drain enclosure

With Anti-UV and anti-static

Resistant against shock and atmosphere effects

Code	Material	L <i>(mm)</i>	W (mm)	H <i>(mm)</i>
B327	PE	2200	450	800
B336	PE	1800	450	900







Crash Cushion

Code: B326-B355

Product Advantages:

Anti shock in the exit line

Has reflector and warning reflective sheeting

Installable in lengths of different sizes up to 360 Centimeters

and to order form.





		L	W	Н	
Code	Material	(mm)	(mm)	(mm)	
B326	PP-PE	900	900	900	l
B355	PP-PE	3600	900	900	

Anti-Glare Panel

Code: B335


The application of the product is to protect the driver's scope of visibility against disturbing lights on the suburban roads and in urban freeway.

Product advantages:

With Reflective sheet of high reflection. Using shock-resistant materials to prevent fractures against wind and shock with anti-UV and Antioxidant









B335

Rubber Speed Bump

Code: B355

Usable in tropical high traffic areas Load capacity of 50 tons per wheel It has reflective surfaces glass beads with a super reflection Effective reduction of the speed down to 20 km/h Made from rubber and reinforced with fibers for a 10 years durability

		L	W	Н
Code	Material	(mm)	(mm)	(mm)
B355	SBR	900	330	50







Traffic Separator

Code: B356

Suitable for specifying the direction of movement of vehicles or for separating the space of Private Park in public and building parking areas.

		L	W	Н
Code	Material	(mm)	(mm)	(mm)
B356	HDPE	500	210	160

Rubber Separator

Code: B323

Suitable for specifying the direction of movement of vehicles or for separating the space of Private Park in public and building parking areas. Suitable for specifying the bike path and...

		L	W	Н
Code	Material	(mm)	(mm)	(mm)
B356	HDPE	1000	150	50







Urban Furniture & Recycling



Recycle Bin

Code: B111

It has a 240 liter mechanized container for easy transport and unloading In accordance with standard mechanized drainage vehicles

Suitable for residential, commercial, administrative and public transportation centers with fast installation.

It has entrance doors to separate all kinds of waste, including paper, bottle, home waste, can and ...

Useable in restaurants, educational centers, offices and... Anti-theft security lock

Has a place for printing and advertising

High strength because of double-layer door and body with honeycomb shape by using compound material with anti-UV and antioxidants
















Twin Bin

Code: B112

Galvanized Metal container with unloading capability and has a steel ashtray

Has special security lock and key

Entrance of container on both sides

Ability to install on sidewalks, parks and public passages. The best industrial design of the year with ability to install input doors for separation of waste from the origin High impact and resistance due to the two-layer body with compound material, including anti-UV Easy to install in less than 10 minutes without the need to


demolish

Ability to install mousetrap









Code	Material	A (mm)	B (mm)	C (mm)
B112	PE	1110	990	482

Recycle Waste Bin

Code: B113

Usage:

Includes inputs for the separation of all types of bottle, Can and dishes for beverages from the origin

Has special gate for public waste

Has logo place on the body

Suitable for advertising sponsors

High resistance by using of compound material and anti-UV Available in different colors










0







Code	Material	A (mm)	B (mm)	C (mm)
B113	PE	1200	500	600

80L Recycle Bin

Code: B114-B139

Usage:

Input for separating paper from origin Suitable for offices, educational centers, banks and institutions.

Includes inputs for the separation of all types of bottle, Cans and drinking containers from origin

Includes damper for public waste


The ability to insert the logo on the body and

Used and approved by the country's recycling organizations in standard designs and colors Suitable for advertising sponsors

Recyclable

Using special container gates like paper makes the separation more accurate at origin









50L Recycle Bin

Code: B115

Usage:

Has a special door for public waste


Has a special gate for separating paper from origin A Place to insert logo for advertising and training

Suitable size and design for kind of application

High resistance using compound material and anti-UV Using special container gates like paper makes the separation

more accurate at origin

Available in different colors





B115

Dust Bin Model



Code: B124

Learning the separation of recycling and waste from the origin needs incentive tools. Therefore, many students have been trained in the separation of waste from the origin with the education labels and the gifts of Sample in order to educate and encourage students in various forms in the kindergartens, culture clubs, schools and ... Applications:

Piggy-Bank, Pencil case, Chocolate Toys and other Gravity Packs for Children

Wheeled Container

Code: B117-B129-B130-B149



Applicable to public places

Waste collection sites

Hospitals – factories

Administrative and commercial complexes

Fruit and vegetable fields and passenger terminals...

Product advantages:

Using of reinforced polymers creates light weight and enough strength.

Coordinate with semi and full mechanized waste collecting machines.

Designed according to European quality standards (EN840) with capacity of 100, 120, 240 liters with pedal mounting capability.

B130	

Code	Volume (Liters)	Wheel Diameter (mm)	Material	A (mm)	B (mm)	C (mm)	Weight (kg)
B117	100	200	PE	878	476	534	
B129	120	200	PE	930	460	550	8.3
B130	240	250	PE	1060	550	710	13.5
B149	100	200	PF	878	476	534	8.5

Advantages over similar types:


Proper design of the wheel and body in terms of safety, strength and physical balance, and proper design.

The only easy drainage model is with full and semi-automatic arms Easy to carry due to long length of upper handle

Ability to carve prominent and ordinary advertising logo of cities and municipalities for effective use









Damper Bin

Code: B118-B150

Design approved by the recycling organizations of the whole country for separation of garbage from the origin Usage:

Applicable to offices, schools, banks, hospitals, commercial complexes, Houses

Product advantages:

Recyclable, with capacity of 60 and 120 liters.

Movable door for ease of use without hand touching.

Can be produced on a massive scale with custom logo

Can be produced in standard colors for the separation of waste from the origin

Used by Tehran municipality recycling and conversion plan of material for separation of waste from origin (paper, plastic, dry, and wet waste)

Used and approved by most of the recycling centers in the cities of Iran, Iraq and...

Suitable for sponsors supplying stores to advertise goods at its body surface

	Volume		Н	W	L	Weight
Code	(mm)	Material	(mm)	(mm)	(mm)	(kg)
B118	60	PE	700	400	400	2.7
R150	120	PF	900	500	500	Δ







		L	W	Н
Code	Material	(mm)	(mm)	(mm)
B121	PE-PP	390	320	500
B151	PF-PP	390	320	500

40L Garbage Bin

Code: B121-B151

Designed for separating waste from origin:

Usage:

Residential houses, hospitals, schools, institutions and banks, commercial and office centers

Product advantages:

The bin designed and manufactured according to the opinions of experts of the recycling industry and the mostly used for separation of household and stores wet and dry wastes.

The design of this bin was targeted as follows:

suitable dimension for the average volume of Iranian household waste, the occupation of the least space with the greatest volumetric capacity, the size of the large door for bulk waste, suitable size to place in the cabinets of homes, the time of delivery of garbage per week, the possibility of putting the garbage bag on the edge of the bottom wall, Installing the training slogans of the Separation Plan and the Service Provider, a beautiful design that motivates the separation plan. Various coloring with special labels, with two models for dry and wet household waste with standard color schemes for separating from origin





Recycle Bin

Code: B153

Suitable for offices, banks, schools and educational places, restaurants, passages and ... Has a garbage gate for public wastes Have a plastic bag location No need to install and easy to unload waste Has a place on the body for logo

Suitable for advertising sponsors

High strength using compound material and anti-UV Available in different colors

	Volume		Н	W	L
Code	(Liters)	Material	(mm)	(mm)	(mm)
B153	100	PE	1100	420	550

B153





Wall Mounted Bin

Code: B154

NEW

Install ability on wall Install ability on base Suitable for public areas such as Metro, Airports, Bus , Taxi station, and...



		Н	W	L
Code	Material	(mm)	(mm)	(mm)
B154	PC	65	370	460



Office Bin

Code: B122-B131-B144

Usage:

Business Places

Educational centers

Homes

Banks and government institutions

Applicable for separation of waste from the origin

Variety of customized colors

Code	Volume (Liters)	Material	Diameter (mm)	Hight (mm)
B122	10	PP	260	320
B144	14	PP	225	350
B131	10	PP	280	340

B144





B131

Office Bin

Code: B123-B116

Usage:

Business Places

Educational centers

Homes

Banks and government institutions

Applicable for separation of waste from the origin

Variety of customized colors





B123

Code	Volume (Liters)	Material	H <i>(mm)</i>	W (mm)	L (mm)
B116	7	PP-ABS	330	200	200
B123	30	PP-ABS	500	310	310

60L Dust Bin

Code: B120

Usage:

Public passageways, Green space, Children's playground, Cultural community, Sports, Residential, Commercial and Schools

Product Advantages:

Recyclable, with safety lock

Available on a massive basis, suitable and available at any quantity price variety of colors. No need to re-color because of its CORE color. Proper impact and no color change against the sun due to use of anti-UV and antistatic Available on wall, single base, pendulum and twin models





70L Garbage Bin

Code: B119

Usage:

Public passages, schools, hospitals, tourist and cultural complexes, Sporty, sultry and wet environments Product advantages:

Beautiful design


Easy to discharge and wash

Available in three pendulum, wall and single base models


Safety lock for single and wall models

No need for annual painting due to CORE paint, base and fittings are plated that pays its cost during 2 years. Suitable anti shock and no color change against sunlight due to using anti-UV and anti-static 5-year guarantee

		Α	В	C	Weight		
Code	Material	(mm)	(mm)	(mm)	(kg)	Volume	
B120	PE	710	520	400		60L	ı
B119	PE	770	390	500	6.5	70L	










30L Recycle Bin

Code: B126-B145

Includes inputs for the separation of bottles, cans, and beverage dishes from origin Has special gate for general waste Place for logo on the body Suitable for sponsors advertisement High strength using compound material and anti-UV Available in different colors







Street Litter Bin

Code: B134

Usage:

Metro stations

Waiting hall including metro, commercial and office buildings

Installable on concrete platforms as well as metal and wood chassis

Anti-UV, antioxidant, anti-static and anti-impact Variety of customized colors


Has steel ashtray on top of the bin

Metal container inside and easy discharge.





B134




		Α	В	C	Volume
Code	Material	(mm)	(mm)	(mm)	(Liters)
B134	HDPE	1000	470	450	100



Suitable for advertising of various brands Suitable for stores and shopping centers High resistance against sun-UV Printable labels and multi-colored logos Ability to produce with different colors of separate waste

NEW



B137



Bottle Shape Recycle Bin


Code: B138

Suitable for outdoor and indoor environments including parks, walkways, Educational, cultural and business environments Ability to install a waste bag and easy drain Ability to install various educational and advertising labels Available in different colors for separation of waste from origin The specific product design creates a culture for waste separation



B138





	Volume		Н	D
Code	(Liters)	Material	(mm)	(mm)
B138	100	HDPE	1450	500



Pedal Bin


Code: B135-B136

Suitable for hotels, hospitals and other business centers, offices and ... High endurance in pedal mechanism In two different sizes 20 and 15 liters Ability to insert recycle logos Has holder for waste bag

B135 15 Liters



Code	Volume (Liters)	Material	A (mm)	B (mm)	C (mm)
B135	15	PE-PP	415	240	340
B136	20	PE-PP	460	235	390







Urban Cleaning Trolley

Code: B133

Extremely high maneuverability and performance

It has highly resistant wheels and using without maintenance

Has 100-liter and 40-liter bucket space Has special spaces for installing multiple accessories

The main body is a combination of anti-impact material and metal structure Brake system to prevent unwanted movement on slopes Anti-theft security lock





Code: B127-B152

Product Advantages:

It is provided in two size for main and secondary streets, and with the proper capacity, it occupies the least level on roads and sidewalks.

The use of compound material provides stability and resistance in different weather conditions in product for a period of five years.

The high height creates ease of evacuation.



B127

BAREZ

Volume Code Depth W Н

Stadium Seat

B147

Code: B125-B146-B147

Usage:

Open-air and covered sports stadiums, metro stations, waiting hall including metro, commercial and office buildings Can be installed on concrete platforms and metal and wood chassis

Has anti-UV, antioxidant, anti-static and anti-shock

Ability to stick Seat's number

Different color customizable in custom colors

Two types of small and tall back Available with 5 years guarantee
























		L	W	Н
Code	Material	(mm)	(mm)	(mm)
B147	PP	410	463	325
B125	PP	400	420	200
B146	PP	420	420	330

Station Bench

Code: B132

Usage:

Metro stations, waiting hall including metro, commercial and office buildings

Can be installed on concrete platforms, metal and wood chassis

Has anti-UV, antioxidant, anti-static and anti-shock Different customized colors

		L	W	Н
Code	Material	(mm)	(mm)	(mm)
B132	PP	470	420	330




Wheeled Container

Code: B110-B148

Product Advantages:

The only container with 5 years guarantee Top designing by Barez Plastic Company It has all the EN 840 Europe standards Available in size of 660 and 1100 liters



کد محصول	ظرفیت (لیتر)	جنس محصول	A (mm)	В <i>(mm)</i>	C (mm)
B110	660	PE-PP	1195	1370	780
B148	1100	PE-PP	1335	1360	1087



Recycling Plastic Box

Code: B128

This box is standard for the separation of a variety of paper waste and allows administrative staff to separate easily their paper waste from other existing waste. These containers placed easily next to the administrative desk.

The properties of the on-table recycling Boxes:

Various colors

The proper structure and design, and low-density polyethylene have made this container with high resistance.

Made from at least 10% recycled material

Round edges to increase the efficiency of the cleaning process Possibility of proper placement alongside and under the administrative desks

Dimensions: 240 x 350 x 440 mm



B128







Horticulture Equipment






B711

Code: B711

Product Advantages:

- Unique design
- Available in different colors
- With 5-year guarantee
- Resistant to weather conditions and UV rays



L: 550 mm W: 290 mm H: 200 mm





Code: B734

Product Advantages:

- Unique design
- Available in different colors
- With 5-year guarantee
- Resistant to weather conditions and UV rays
- Has a special irrigation valve






Code: B735-B736

Product Advantages:

- Unique design
- Available in different colors
- With 5 years guarantee
- Resistant to weather conditions and UV rays







Flower Pot

Code: B715-B710


Product Advantages:

- Unique design
- Available in different colors
- 5 years guarantee
- Resistant to weather conditions and UV rays
- Can be installed on a variety of balconies fence and ...









Code: B715 & B710

L: 580 mm W: 290 mm


H: 235 mm

Code: B739

Product Advantages:

- Unique design
- Available in different colors
- With 5 years warranty
- Resistant to weather conditions and UV rays
- Has a special irrigation valve





L: 380 mm W: 147 mm H: 215 mm





Some of Barez Flower Pot Advantages

Resistant to atmospheric conditions, such as sun UV, freeze, and rain, with a shelf life of 25 years.

Has compound supplements enhancer, Anti- UV, Anti-Oxidant and Anti-Static

Beautiful and unique, classic and modern design

Productivity in a variety of customize and granite colors

Capable of turning into light box pots

Improvement of the city's landscapes, villas and hotel lobbies

Easy shipping without damage and color change


10 years warranty

Places used:

Hotels, streets and parks, commercial, residential, recreational, tourist, educational

Urban Flower Pot






Code: B714



Granite Color






Urban Flower Pot Base

Code: B718







Code: B716

Granite color













Urban Flower Pot

Code: B313


Granite color












Code: B716 Code: B713 D: 1100mm D: 820 mm H: 765 mm H: 560 mm W: 665 mm W: 490 mm





Code: B717

Suitable for moving decorative trees in different seasons



Urban Flower Pot


Code: B722







Granite color




Urban Flower Pot Base

Code: B719

B717







Code: B721



Code: B720




D: 315 mm H: 440 mm W: 205 mm Н

Urban Flower Pot






Urban Flower Pot



Code: B724




Urban Flower Pot

Code: B725 D: 450 mm H: 600 mm H Granite color B725


Code: B731-B732





Code: B731 850 mm 900 mm





Code: B732 L: 1000 mm W: 800 mm H: 700 mm

Granite color






Urban Flower Pot

Code: B728








Urban Flower Pot

Code: B726-B738







Barez Plastic growth trays

The system of Barez tray is one of the special systems of greenhouse and forestry. This system is so unique that seeds from seedling time and during various stages of growth, until germination, occupy the minimum space in the tray. As the structure of the trays is tightly designed, they do not require expensive boxes to move and can be easily carried.

Side Slotted Trays

Side slotted Trays of Barez model supports the habitats and greenhouses. The square shape of each cell in these trays provides the maximum productivity of a single tray. In these tracks, the problem of bridging roots in adjacent cells has been eliminated, and the unique design of nested gaps has made this a success. It makes it easier to transport and keep your home safe. All transplant trays are made of the highest quality PP or HDPE material that has at least 8 years of useful life. Cell body or transplantation are of the highest quality and is designed to guide the roots quickly and provide the flow of air to the required extent, which will enhance the plant's growth and development. The flow of air prevents growth of fungus and harmful bacteria near the root and will cause rapid growth of the root and stem

Common Advantages of Multiply Cell Transplantation:

Optimal use of crop production and on time delivery of the product to the market - Optimal productivity of greenhouse space and capacity increase of at least 5 to 12 times per unit area - Prevention of soil and fertilizer loss for each plant replication - Reduction of water consumption - Significant reduction in growth errors – Reduction of energy consumption (heating and cooling) - Reduction of labor force during replication and transportation -Reduction of personnel costs - High economic justification - Increase of efficiency and profitability - Reusability - Unique design of replication trays to have more space and better air exchange - Have root-mounted ribbons to prevent interlacing of roots - Providing air perforations between the cell walls and the surface of the tray to increase air circulation helps to dry the moisture on the surface of young leaves as well as prevent plant diseases - have a large discharge hole at the bottom of the cells for discharging of extra water and prevention of fungal diseases - More use of modern vegetation by increasing the level of mechanized plant knowledge - preserving the environment by using recyclable material in production of trays.



Seedling tray

Code: B410

For replication of the first stage in the greenhouse High resistance against fracture and 8 years' shelf life

Made of hard polymer

Dimensions: 395 x 395 x 50 mm

Number of cells: 144

Number of cells per square meter: 900 cells

Each cell volume: 30 cc

Weight: 763 gr.

Weight bearing 200 kg



32x32x50 mm

Seedling tray

Code: B411

Made of compound polymer

High resistance against fracture and 8 years shelf life

Dimensions: 350 x 215 x 100 mm

Number of cells: 24

Number of cells per square meter: 316

Volume of each cell: 150 cc

Weight: 360 gr.

Weight bearing: 100 kg.





Seedling tray

Code: B412

Made of compound polymer

High resistance against fracture and 8 years shelf life

Dimensions: 345 x 215 x 100 mm

Number of cells: 40

Number of cells per square meter: 526

Volume of each cell: 120 cc

Weight: 500 gr.

Weight bearing:100 kg.







Seedling tray

Made of Polymer Compound

High resistance against fracture and 8 years shelf life

Dimensions: 400 x 305 x 130 mm

Number of cells: 35

Number of cells per square meter: 286

Volume of each cell: 280 cc

Weight: 920 gr.

Weight bearing: 150 kg.





Seedling tray

Code: B414

It has a shiny surface on the inner wall of the cells for better growth of roots and ease of evacuation of cells When reversing the tray

(the condensed soil in the roots, along with the transplant, is easily separated from the tray)

Made of compound polymer

High resistance to fracture and 8 years shelf life

Dimensions: 350 x 215 x 200 mm

Number of cells: 15

Number of cells per square meter: 199

Each cell volume: 530 cc

Weight: 610 gr.

Weight bearing:100 kg.
















Guarantee

1-Resistant material against weather conditions - ANTI UV

2-Impact resistant material

3-Food grade material



The advanced technology of producing three layer from high-density polyethylene material with its beautiful appearance and difference, brings a lot of strength. Using the technology of blow molding, maintains wall thickness of the tank throughout the body surfaces in exactly the same shape and the curved lines on the body strength is multiplied byseveral times



Characteristics:

- Long lifetime because of using high quality material
- Acid and chemical resistant, integrated body, while low weight, brings high strength in the same style, and the massive symmetry in the walls with a strong and integrated structure in the tank body raises its strength and it prevents the inflammation when the tanker is full of liquids.
- The anti-air leakage lid keeps the water fresh in the tank and prevents entry of dust and contamination into the tank.
- Reinforced rails, wide lines of the tank body, which has been created by precise engineering calculations, create a muscular and powerful shape for the tank and multiple its strength.
- Easy filling and emptying, presence of a standard tank lid on top facilitates filling and with several inlets and outlets on the sides of the tank installation of fittings is easily possible.
- Calibrated body, the use of the capacity rating system in the tank body, displays accurately the amount of fluid used and remained.

Three layers' tanks include the following advantages for the following reasons:

- Creates a nice, beautiful color, made of anti-UV and anti-oxidant compounds to prevent destruction due to atmospheric conditions.
- The middle layer is to protect the passage of sunlight and ultimately prevent the growth of algae. While the addition of shock absorbing materials in this section creates high resistance to impact.
- The interior layer by using of Food Grade material and free of any color and compound material to maintain long-term preservation of drinking materials, hygiene with the slightest change in taste, odor and properties.

Usage:

- Can be used in residential, industrial, agricultural and animal husbandry centers
- Ability to keep drinking water for a long time
- Suitable for storing water and a variety of fluids, suitable for storage of petroleum and non-petroleum
- Suitable for keeping chemical pesticides



Code: B418



1000 Liters Water Tanker

Code: B417




Code: B416



300 Liters Water Tanker


Code: B415





Cada	Volume	В	C	Α
Code	(Liters)	(mm)	(mm)	(mm)
B418	2000	1350	400	1620
B417	1000	1066	400	1320
B416	500	850	400	1050
B415	300	710	400	920

Drip irrigation Tapes is one of the newest technologies with a high level of technical knowledge that has many advantages in the field of irrigation. This technology can be used extensively for greenhouses, agricultural lands, steep lands, tea fields and extensive forest regeneration projects. Particularly for farm of sugarcane, cotton, corn, potatoes, legumes, seedlings and tomatoes that are cultivated linearly in rows, it is practical to use.





- 1. The special design of this section prevents blocking by young roots
- 2. The ladder design of this part with two small channels reduces the pressure of the water and creates a uniform pressure.
- 3. Automatic washing ability (self-washing)
- 4. Specific 3D design with cogging resistance

Features:

Has the highest production technology in the drip irrigation industry with both general drip irrigation patterns in each unit, the duct type-ladle-wide ladder (in proportion to the unit drip) self-wash and self-cleaning function without interrupting the drip. The anti-obstruction capability of this new design increases the sense of trust in long-term usage.

High discharge power: After irrigation, the water is completely drained from the pipes and will reduce the risk of obstruction, deposition, and so on. The existence of two holes in the dripper extends the practical level of the dripper and prevents deep and internal leakage.

The special design of the piece and its own self-wash ability make particles of sand and dust (which are likely to enter the duct) easily eject and do not precipitate in narrow ducts.

The 3D internal filtering of 30 mm long of this section has an anti-obstruction characteristic for probable obstruction and, due to its three-dimensional design, continues to irrigate.

It has two miniature irrigation channels: one arc motion and the other swinging movement to the flow of water. With this method, the flow of water can be controlled and evenly controlled.

The Barez irrigation tapes that are designed with different wall thickness and different dripper distances are capable of being used in variety of agricultural fields.







Advantages of using drip irrigation tapes:

Saving water consumption Productivity of agricultural products per unit area

Significantly decreasing the growth of weeds Higher quality of agricultural products Preventing the current water flowing and the prevention of soil erosion and the transfer of agricultural soil

Reduction of soil salt

Precise control and monitoring of water levels Reducing irrigation costs

Reducing the level of mad for traffic and harvest-

Uniform growth of plants and crops Installation and assembly is very easy Reducing installation and collection costs Saving on the use of fertilizers and herbicides Saving on the use of pesticides and fungicides

- Suitable for sub-surface cultivation of all kinds of row products
- Ability to function in two planting seasons
- Pressure bearing: 3 Bar





Drip Tape Fittings



On and Off Valve

Code: B601

Main On and Off Valve of drip irrigation tape with 90° rotation of the handle allows easy connection of the water flow from the main line to the drip irrigation tape. The water flow path in this valve is larger than the common ones and this does not reduce the water pressure for long strips.

The use of polypropylene co-polymer anti-rubbing with anti-UV guarantees the strength and durability of valve for long-term use and under sunlight without the slightest water leakage.

Drip Irrigation Fitting

Code: B602

To increase the length of drip irrigation tape or, in cases where the irrigation tape may have a minor problem during installation, and some of exposed, in this case, the defective part is usually cut and is replaced by the connector tape to sliding tape and piece of the irrigation tape instead.

The principled design and the use of high quality material along with anti-UV, guarantee durability of connection under sunlight and without water leakage. This type of connection with the sliding rings makes ease of use reliable function and if necessary, easily separable.



Lock Ring Fitting

Code: B603



The Sliding Lock Ring is a connecting that used to block the end of drip irrigation tapes. Using of high quality material in the production of this connector with anti-UV creates a durable connection without the slightest water leakage. The use of the sliding ring in designing this connector makes it easy to use with reliable performance.



Plastic Box

Code: B422

Suitable for keeping and exporting all kinds of fruits

Usable in warehouses and manufacturing

High resistance due to the use of high quality raw material

Plastic Box

Code: B128

Suitable for Pharmaceutical companies and drug distribution

Special design to fit inside and on top of each other Easy transportation







		В	C	А	
Code	Material	(mm)	(mm)	(mm)	
B422	PE-PP	300	360	540	
B128	PF-PP	240	350	440	

